



Mosaic Masonry™ Wood & Gas Fireplaces

COME IN FROM THE COLD

True Masonry



Design

Spacious

Beauty

VANGUARD®

A Real Masonry Fireplace... ... Without The Mason

For Centuries, a traditional masonry fireplace has been the focal point of the home. And over the years, creative new designs and features have enhanced both form and function of the hearth.

Fireplace manufacturers instinctively compare their fireplaces to traditional, masonry wood burners. But only one manufactured fireplace line can really call itself "Masonry".

Vanguard's patented Mosaic Masonry™ features real firebrick finished interiors, with no visible sheet metal for the authentic richness and beauty of a custom, site-built masonry fireplace.

All Mosaic Masonry™ fireplaces come with either Ivory or Red brick in "Stacked" or "Herringbone" patterns.



Red "Stacked" Brick

Ivory "Herringbone" Brick



Individual grooved bricks snap-lock securely into stainless steel templates for easy installation. Each firebrick is pre-cut and labeled for location and a perfect result every time.



Fireplace grout lines are finished using the high temperature, refractory mortar included.

Contents

The Story Of Mosaic Masonry	3
Wood Burning Indoor Fireplaces	4
Wood Burning Outdoor Fireplaces	5
Vent-Free Indoor/Outdoor Fireplaces	6
Mosaic Masonry Accessories	7
Product Dimensions	8

The Story of Mosaic Masonry™

Vanguard's Mosaic Masonry™ technology is a dramatic development that will change the way you think about the fireplace. This technology combines traditional appearance and traditional materials with modern assembly techniques to create a fireplace that is unparalleled in its beauty and value.

Two trends related to today's homes make our patent-pending Mosaic Masonry™ technology significant. First, homeowners want distinctive, high quality products in their home. Surveys of top home builders and buyers alike confirm that homeowners are paying more attention to the details in their homes, and are looking for choices and selections to make their homes more attractive, more distinctive, more valuable. Secondly, people also want convenience. We all want home products that are easy to install, and are easy to operate. The Mosaic Masonry™ technology does both these things.

There are two types of fireplaces on the market today: One, a masonry fireplace, is built brick-by-brick by a skilled mason. These are the oldest fireplaces, and considered the aesthetic standard for all fireplaces. The second type of fireplace is a prefabricated fireplace, with factory-built components that are available at a fraction of the cost of a regular masonry fireplace. These fireplaces are tested and certified to established safety standards, and are available in both gas and wood burning models.

The Mosaic Masonry™ technology uniquely combines that quality appearance of a masonry fireplace with the installation convenience and more reasonable cost of a factory-built fireplace.



Monticello: Vanguard's Monticello model is 48" wide and has a tall 42" opening. The hearth is only 1 1/2" above the ground for a flush floor finish. The Monticello uses a smaller brick "splits" in its Mosaic Masonry™ in a custom herringbone pattern for an even richer look.



Mosaic Masonry™ Indoor Wood Burning Fireplaces include handsome, hand-finished solid steel log grates with cast iron grate andirons.

Wood Burning Indoor Product Features

- Real firebrick lining for utmost beauty and durability
- Firebricks pre-cut and labeled for exact placement
- High temperature cement and sand included for grout
- Winston Series Sizes: 36", 42", 50"
- Monticello Series Size: 48"
- Tested and listed to tough UL design standards
- Choice of "stacked" or herringbone brick patterns (Monticello herringbone only)
- Choice of ivory or red brick colors
- Winston Series: 30" opening and clean face design
- Monticello: 42" opening and clean face design
- Bricks with gas line knock-out for installing gas logs or log lighter



Winston: This Mosaic Masonry™ Wood Burning Fireplace has been constructed and equipped with red herringbone brick.



VF48HR: 48" Monticello Wood Burning Fireplace with Red Split Herringbone Brick



VGM42HR: 42" Winston Wood Burning Fireplace with Red Herringbone Brick

Wood Burning Indoor Mosaic Masonry Fireplaces

MODEL NO	DESCRIPTION	SHIPPING WT.
VGM36HI	36" Winston Smooth Faced Wood Burning Fireplace with Ivory Herringbone Brick	520.0 lbs.
VGM36HR	36" Winston Smooth Faced Wood Burning Fireplace with Red Herringbone Brick	520.0 lbs.
VGM36SI	36" Winston Smooth Faced Wood Burning Fireplace with Ivory Stacked Brick	520.0 lbs.
VGM36SR	36" Winston Smooth Faced Wood Burning Fireplace with Red Stacked Brick	520.0 lbs.
VGM42HI	42" Winston Smooth Faced Wood Burning Fireplace with Ivory Herringbone Brick	679.0 lbs.
VGM42HR	42" Winston Smooth Faced Wood Burning Fireplace with Red Herringbone Brick	679.0 lbs.
VGM42SI	42" Winston Smooth Faced Wood Burning Fireplace with Ivory Stacked Brick	679.0 lbs.
VGM42SR	42" Winston Smooth Faced Wood Burning Fireplace with Red Stacked Brick	679.0 lbs.
VGM50HI	50" Winston Smooth Faced Wood Burning Fireplace with Ivory Herringbone Brick	696.0 lbs.
VGM50HR	50" Winston Smooth Faced Wood Burning Fireplace with Red Herringbone Brick	696.0 lbs.
VGM50SI	50" Winston Smooth Faced Wood Burning Fireplace with Ivory Stacked Brick	696.0 lbs.
VGM50SR	50" Winston Smooth Faced Wood Burning Fireplace with Red Stacked Brick	696.0 lbs.
VF48HI	48" Monticello Smooth Faced Wood Burning Fireplace with Ivory Split Herringbone Brick	696.0 lbs.
VF48HR	48" Monticello Smooth Faced Wood Burning Fireplace with Red Split Herringbone Brick	696.0 lbs.

Wood Burning Outdoor Product Features

- Real firebrick lining for utmost beauty and durability
- Firebricks pre-cut and labeled for exact placement
- High temperature cement and sand included for grout
- Oracle Series Sizes: 36", 42", 50"
- Tested and listed to tough UL design standards
- Choice of "stacked" or herringbone brick patterns
- Choice of ivory or red brick colors
- Oracle Series: 30" opening and clean face design
- Specially designed stainless steel models for outdoor applications
- Bricks with gas line knock-out for installing gas logs or log lighter



Oracle: This Mosaic Masonry™ Wood Burning Fireplace has been constructed and equipped with stainless steel components for outdoor applications.

VJM36SI: 36" Oracle Outdoor Wood Burning Fireplace with Ivory Stacked Brick

Wood Burning Outdoor Mosaic Masonry Fireplaces

MODEL NO	DESCRIPTION	SHIPPING WT.
VJM36HI	36" Oracle Outdoor Masonry Fireplace with Ivory Herringbone Brick	520.0 lbs.
VJM36HR	36" Oracle Outdoor Masonry Fireplace with Red Herringbone Brick	520.0 lbs.
VJM36SI	36" Oracle Outdoor Masonry Fireplace with Ivory Stacked Brick	520.0 lbs.
VJM36SR	36" Oracle Outdoor Masonry Fireplace with Red Stacked Brick	520.0 lbs.
VJM42HI	42" Oracle Outdoor Masonry Fireplace with Ivory Herringbone Brick	679.0 lbs.
VJM42HR	42" Oracle Outdoor Masonry Fireplace with Red Herringbone Brick	679.0 lbs.
VJM42SI	42" Oracle Outdoor Masonry Fireplace with Ivory Stacked Brick	679.0 lbs.
VJM42SR	42" Oracle Outdoor Masonry Fireplace with Red Stacked Brick	679.0 lbs.
VJM50HI	50" Oracle Outdoor Masonry Fireplace with Ivory Herringbone Brick	696.0 lbs.
VJM50HR	50" Oracle Outdoor Masonry Fireplace with Red Herringbone Brick	696.0 lbs.
VJM50SI	50" Oracle Outdoor Masonry Fireplace with Ivory Stacked Brick	696.0 lbs.
VJM50SR	50" Oracle Outdoor Masonry Fireplace with Red Stacked Brick	696.0 lbs.

Vent-Free Indoor/Outdoor Product Features

- Real firebrick lining for utmost beauty and durability
- Firebricks pre-cut and labeled for exact placement
- High temperature cement and sand included for grout
- Choice of “stacked” or herringbone brick patterns
- Choice of ivory or red brick colors
- Tested and listed to ANSI standards
- Marquee & Sagamore Series Sizes: 36”, 42”, 50”
- Marquee & Sagamore Series: 30” opening and clean face design
- Specially designed stainless steel models for outdoor applications
- Bricks with gas line knock-out for installing gas logs or log lighter
- Pair with a Vanguard Vent-Free Gas Logset



VGC24: Scarlet Oak Vent-Free Gas Logset

Vent-Free Indoor Mosaic Masonry Fireplaces

MODEL NO	DESCRIPTION	SHIPPING WT.
VUM36HI	36” Marquee Vent-Free Fireplace with Ivory Herringbone Brick	520.0 lbs.
VUM36HR	36” Marquee Vent-Free Fireplace with Red Herringbone Brick	520.0 lbs.
VUM36SI	36” Marquee Vent-Free Fireplace with Ivory Stacked Brick	520.0 lbs.
VUM36SR	36” Marquee Vent-Free Fireplace with Red Stacked Brick	520.0 lbs.
VUM42HI	42” Marquee Vent-Free Fireplace with Ivory Herringbone Brick	679.0 lbs.
VUM42HR	42” Marquee Vent-Free Fireplace with Red Herringbone Brick	679.0 lbs.
VUM42SI	42” Marquee Vent-Free Fireplace with Ivory Stacked Brick	679.0 lbs.
VUM42SR	42” Marquee Vent-Free Fireplace with Red Stacked Brick	679.0 lbs.
VUM50HI	50” Marquee Vent-Free Fireplace with Ivory Herringbone Brick	696.0 lbs.
VUM50HR	50” Marquee Vent-Free Fireplace with Red Herringbone Brick	696.0 lbs.
VUM50SI	50” Marquee Vent-Free Fireplace with Ivory Stacked Brick	696.0 lbs.
VUM50SR	50” Marquee Vent-Free Fireplace with Red Stacked Brick	696.0 lbs.

Vent-Free Outdoor Mosaic Masonry Fireplaces

MODEL NO	DESCRIPTION	SHIPPING WT.
VQM36HI	36” Sagamore Outdoor Vent-Free Fireplace with Ivory Herringbone Brick	520.0 lbs.
VQM36HR	36” Sagamore Outdoor Vent-Free Fireplace with Red Herringbone Brick	520.0 lbs.
VQM36SI	36” Sagamore Outdoor Vent-Free Fireplace with Ivory Stacked Brick	520.0 lbs.
VQM36SR	36” Sagamore Outdoor Vent-Free Fireplace with Red Stacked Brick	520.0 lbs.
VQM42HI	42” Sagamore Outdoor Vent-Free Fireplace with Ivory Herringbone Brick	679.0 lbs.
VQM42HR	42” Sagamore Outdoor Vent-Free Fireplace with Red Herringbone Brick	679.0 lbs.
VQM42SI	42” Sagamore Outdoor Vent-Free Fireplace with Ivory Stacked Brick	679.0 lbs.
VQM42SR	42” Sagamore Outdoor Vent-Free Fireplace with Red Stacked Brick	679.0 lbs.
VQM50HI	50” Sagamore Outdoor Vent-Free Fireplace with Ivory Herringbone Brick	696.0 lbs.
VQM50HR	50” Sagamore Outdoor Vent-Free Fireplace with Red Herringbone Brick	696.0 lbs.
VQM50SI	50” Sagamore Outdoor Vent-Free Fireplace with Ivory Stacked Brick	696.0 lbs.
VQM50SR	50” Sagamore Outdoor Vent-Free Fireplace with Red Stacked Brick	696.0 lbs.

Accessories

The Mosaic Masonry technology can be applied to other uses as well. Vanguard offers a complementary “Wood Nook” for storing firewood. The Wood Nook uses the same metal housing and firebrick as our fireplaces. There are two styles of Wood Nooks available.

Other Accessories Include:

- Gas logs
- Bi-fold glass doors in three finishes: ebony, pewter and oiled bronze
- Outside combustion air kit



Wood Nook: A “Wood Nook” uses the same Mosaic Masonry™ Technology as the fireplace.


The Round Top Wood Nook



Under Hearth Wood Nook



Bi-fold Glass Doors



OILED BRONZE

PEWTER

EBONY

Premium Masonry Accessories (For Use With Wood Burning Fireplaces Only)

MODEL NO	DESCRIPTION	SHIPPING WT.
DHR-24	24" Round Top Wood Nook with Traditional Stacked Masonry Brick Interior	430.0 lbs.
DHS-36	36" Under Hearth Wood Nook with Stacked Masonry Brick	330.0 lbs.
DHS-42	42" Under Hearth Wood Nook with Stacked Masonry Brick	385.0 lbs.
DHS-50	50" Under Hearth Wood Nook with Stacked Masonry Brick	445.0 lbs.
HS48	48" Combustible Floor Protective Hearth Spacer (For Use with VF48H)	145.0 lbs.
AL48	48" Masonry Ash Lip Brick Kit (For Use with VF48H)	20.0 lbs.
BDM36E	36" Bi-Fold Door with Frame - Ebony	18.0 lbs.
BDM36G	36" Bi-Fold Door with Frame - Pewter	18.0 lbs.
BDM36C	36" Bi-Fold Door with Frame - Oiled Bronze	18.0 lbs.
BDM42E	42" Bi-Fold Door with Frame - Ebony	20.0 lbs.
BDM42G	42" Bi-Fold Door with Frame - Pewter	20.0 lbs.
BDM42C	42" Bi-Fold Door with Frame - Oiled Bronze	20.0 lbs.
BDM50E	50" Bi-Fold Door with Frame - Ebony	25.0 lbs.
BDM50G	50" Bi-Fold Door with Frame - Pewter	25.0 lbs.
BDM50C	50" Bi-Fold Door with Frame - Oiled Bronze	25.0 lbs.
BDMO48E	48" Ceramic Glass Bi-Fold Door - Ebony	35.5 lbs.
BDMO48G	48" Ceramic Glass Bi-Fold Door - Pewter	35.5 lbs.
BDMO48C	48" Ceramic Glass Bi-Fold Door - Oiled Bronze	35.5 lbs.
BDMO36E	36" Indoor / Outdoor Bi-Fold Door Kit - Ebony	18.0 lbs.
BDMO36G	36" Indoor / Outdoor Bi-Fold Door Kit - Pewter	18.0 lbs.
BDMO36C	36" Indoor / Outdoor Bi-Fold Door Kit - Oiled Bronze	18.0 lbs.
BDMO42E	42" Indoor / Outdoor Bi-Fold Door Kit - Ebony	20.0 lbs.
BDMO42G	42" Indoor / Outdoor Bi-Fold Door Kit - Pewter	20.0 lbs.
BDMO42C	42" Indoor / Outdoor Bi-Fold Door Kit - Oiled Bronze	20.0 lbs.
BDMO50E	50" Indoor / Outdoor Bi-Fold Door Kit - Ebony	25.0 lbs.
BDMO50G	50" Indoor / Outdoor Bi-Fold Door Kit - Pewter	25.0 lbs.
BDMO50C	50" Indoor / Outdoor Bi-Fold Door Kit - Oiled Bronze	25.0 lbs.



36"
Winston Woodburning Fireplace
with Red Herringbone Brick



48"
Monticello Woodburning Fireplace
with Red Herringbone Split Brick



50"
Oracle Outdoor Woodburning
Fireplace with Ivory Stacked Brick*



36"
Marquee Vent-Free Fireplace
with Ivory Herringbone Brick




42"
Sagamore Outdoor Vent-Free
Fireplace with Ivory Herringbone Brick*

Fireplace Dimensions

MODEL NO	A	B	C	D	X	Y	Z
VGM36/VJM36	36	45	29 1/8	26 1/2	30	49	66 1/4
VGM42/VJM42	42	51	30 1/2	29	30	49	67
VGM50/VJM50	50	59	38 1/2	29	30	49	67
VUM36/VQM36	36	45	29 1/8	26 1/2	30	49	66 1/4
VUM42/VQM42	42	51	30 1/2	29	30	49	67
VUM50/VQM50	50	59	38 1/2	29	30	49	67
VF48H	48	60 5/8	42 1/4	30	42	65 3/4	71 1/2


*Outdoor models include stainless steel facings. Outdoor Woodburning models also include a stainless steel grate.



Wood Nook Dimensions

MODEL NO	A	B	C	D	X	Y	Z
DHR-24	24 7/8	30 1/8	30 1/8	28 7/8	29	33	34
DHS-36	36	45	45	26 7/8	13 3/8	16 1/2	16 1/2
DHS-42	42	51	51	26 7/8	13 3/8	16 1/2	16 1/2
DHS-50	50	59	59	26 7/8	13 3/8	16 1/2	16 1/2

Note: All measurements are in inches. Dimensions on this catalog are approximate. For accurate dimensions, refer to the installation instructions.



Look For Us Online:
www.MosaicMasonry.com
www.VanguardHeat.com

IMPORTANT

Installation must be done by qualified service persons. Read owners manual before using. Check local codes and ordinances for permitted uses. We reserve the right to amend product specifications without notice. The only warranty we offer is our standard warranty. Please read the warranty for any limitations or disclaimers.